

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1543	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile) with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:32
L2	640	l1 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:35
L5	1	10/618873	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 09:57
L6	1	I5 \$4Certif\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 09:59
L7	37	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) \$4Certif\$8 \$4Authenticat\$5 (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:41

EAST Search History

L8	14	I7 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:43
L9	6	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) \$4Certif\$8 \$4Authenticat\$5 (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/22 10:45
L10	2	I9 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:49

EAST Search History

L11	557	(((\$4Certif\$8 \$4Authenticat\$5).ti. or (\$4Certif\$8 \$4Authenticat\$5).ab.) ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:56
L12	87	(((\$4Certif\$8 with \$4Authenticat\$5).ti. (\$4Certif\$8 with \$4Authenticat\$5).ab.) ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:48
L13	36	l12 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:01

EAST Search History

L14	123	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with \$4Certif\$8).ti. ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:03
L15	50	l14 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:08

EAST Search History

L16	1	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with \$4Certif\$8).ti. ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with Manufactu\$4 with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:06
-----	---	--	---	-----	----	------------------

EAST Search History

L17	12	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with \$4Certif\$8).ab. ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with Manufactu\$4 with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:12
L18	4	l17 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:13

EAST Search History

L19	32	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4) or PLD or FPGA or Circuit\$4) with Manufactu\$4 with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:19
L20	11	l19 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:21
L21	33	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Appar\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone) or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) Manufactu\$4 \$4Certif\$8 \$4Authenticat\$5 (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/09/22 11:23

EAST Search History

L22	11	I21 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:29
L23	166	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone) or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) Manufactu\$4 (\$4Certif\$8 with \$4Authenticat\$5) (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 11:25
L24	101	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone) or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) (Manufactu\$4 or platform) with \$4Certif\$8 with \$4Authenticat\$5) (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 11:46

EAST Search History

L25	33	I24 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:54
L26	25	("20020019941" "5022077" "5444850" "5473692" "5539828" "5568552" "5633932" "5751809" "5796840" "5799141" "5805706" "5805712" "5818939" "5825879" "5828753" "5835594" "5844986" "5907619" "5974416" "6070246" "6185612" "6427227").PN. OR ("6647494").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/22 11:39
L27	3	((((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone) or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) ((Manufactu\$4 or platform) with \$4Certif\$8 with \$4Authenticat\$5))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:53

EAST Search History

L28	30	((((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone) or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or \$4volatile\$4)) ((Manufactu\$4 or platform) with \$4Certif\$8 with \$4Authenticat\$5))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:54
L29	13	I28 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:58
L32	17	(US-20040049674-\$).did. or (US-7270193-\$ or US-7254711-\$ or US-7159114-\$ or US-7107247-\$ or US-7039802-\$ or US-7016666-\$ or US-6854056-\$ or US-6647494-\$ or US-5966446-\$ or US-5568552-\$). did. or (WO-2065696-\$).did. or (US-20020098830-\$ or US-5721781-\$ or US-6427091-\$ or US-20030046544-\$ or WO-200062519-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2007/09/22 12:02
L33	2	I32 performanc\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:44
L34	6	I32 (performanc\$5 or character\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:45

EAST Search History

L35	2	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile or Set-top-box or phone) or (\$4portab\$4 or MultiMedia?Card or MMC or SanDisk\$2 or CompactFlash\$2 or (MMC?SD near card\$2) or (removable near memory) or smart\$8 or IC\$1 or \$4Chip\$4 or (integrated adj circuit\$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory) or \$4volatile\$4)) ((Manufactu\$4 or platform) with \$4Certif\$8 with \$4Authenticat\$5) Performanc\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 13:00
L36	2	I35 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:08
L37	0	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) with \$4Certif\$8 with \$4Authenticat\$5 with Performanc\$4 with (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:06

EAST Search History

L38	47	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) \$4Certif\$8 \$4Authenticat\$5 Performanc\$4 (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 13:13
L39	31	l38 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:16
L40	490	ginter\$4.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:09
L41	20	l39 not l40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:10
L42	4	(\$4Certif\$8 with \$4Authenticat\$5).ti. (\$4Certif\$8 with \$4Authenticat\$5). ab. ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) (\$4Certif\$8 near \$4Authenticat\$5) Performanc\$4 (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:21

EAST Search History

L43	2	l42 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:35
L44	921	(\$4Certif\$8 with \$4Authenticat\$5).ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab. ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) (\$4Certif\$8 near \$4Authenticat\$5) Performanc\$4 (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:23
L45	855	(\$4Certif\$8 with \$4Authenticat\$5).ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab. ((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) same (\$4Certif\$8 near \$4Authenticat\$5) same Performanc\$4 same (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:25

EAST Search History

L46	855	(\$4Certif\$8 with \$4Authenticat\$5).ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab. (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) with (\$4Certif\$8 near \$4Authenticat\$5)) same Performanc\$4 same (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:27
L47	855	(\$4Certif\$8 with \$4Authenticat\$5).ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab. (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) near (\$4Certif\$8 near \$4Authenticat\$5)) same Performanc\$4 same (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:28
L48	855	(\$4Certif\$8 with \$4Authenticat\$5).ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab. (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) near (\$4Certif\$8 near \$4Authenticat\$5)) with Performanc\$4 with (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:30

EAST Search History

L49	0	((\$4Certif\$8 with \$4Authenticat\$5). ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab.) (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) near (\$4Certif\$8 near \$4Authenticat\$5)) with Performanc\$4 with (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:32
L50	0	((\$4Certif\$8 with \$4Authenticat\$5). ti. or (\$4Certif\$8 with \$4Authenticat\$5).ab.) (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) with (\$4Certif\$8 near \$4Authenticat\$5)) same Performanc\$4 same (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:33
L51	1	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) with (\$4Certif\$8 near \$4Authenticat\$5)) same Performanc\$4 same (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:36

EAST Search History

L52	0	I51 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:38
L53	9	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) with (\$4Certif\$8 with \$4Authenticat\$5)) same Performanc\$4 same (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:39
L54	2	I53 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:41
L55	66	(((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) with (\$4Certif\$8 with \$4Authenticat\$5)) same Performanc\$4) (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:55
L56	40	I55 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:53

EAST Search History

L57	18	(US-20040049674-\$).did. or (US-7270193-\$ or US-7254711-\$ or US-7159114-\$ or US-7107247-\$ or US-7039802-\$ or US-7016666-\$ or US-6854056-\$ or US-6647494-\$ or US-5966446-\$ or US-5568552-\$ or US-6542610-\$).did. or (WO-2065696-\$).did. or (US-20020098830-\$ or US-5721781-\$ or US-6427091-\$ or US-20030046544-\$ or WO-200062519-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2007/09/22 13:50
L58	17	I57 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:12
L59	3	I58 (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) (\$4Certif\$8 with \$4Authenticat\$5)) Performanc\$4) (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:11
L60	39	(US-20030018892-\$ or US-20010044904-\$ or US-20020099952-\$ or US-20020188763-\$ or US-20030120935-\$ or US-20030135744-\$ or US-20030196085-\$ or US-20040078568-\$).did. or (US-3996449-\$ or US-5737523-\$ or US-5802590-\$ or US-6148083-\$ or US-6185678-\$ or US-6189103-\$ or US-6263431-\$ or US-6412069-\$ or US-7159240-\$ or US-7174457-\$ or US-6957332-\$).did. or (WO-200180482-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:10

EAST Search History

L61	7	I60 (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) (\$4Certif\$8 with \$4Authenticat\$5)) Performanc\$4) (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:11
L62	4	I61 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:13
L63	1	I5 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:21
L64	0	I5 character\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:22
S1	4	AZEMA-JEROME.in. CHATEAU-ALAIN.in. BALARD-ERIC. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:18
S2	25	AZEMA-JEROME.in. CHATEAU-ALAIN.in. BALARD-ERIC. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 16:18
S3	780	713/156.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:18

EAST Search History

S4	2	S2 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:18
S5	0	S4 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:46
S6	11	S2 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:19
S7	11	S2 @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:19
S8	812	((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) (authentica\$6 with certificat\$5) (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:22
S9	177	((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) (authentica\$6 with certificat\$5) (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:26
S10	75	S9 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:23

EAST Search History

S11	0	((authentica\$6 and certificat\$5).ti. or (authentica\$6 and certificat\$5). ab.) and (((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) (authentica\$6 with certificat\$5) (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) ((power adj on) or (power adj up) or (start adj up) or Boot\$5 or Reset\$5 or Reboot\$5 or Post or Restar\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:46
S12	5	(((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) (authentica\$6 with certificat\$5) (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) ((power adj on) or (power adj up) or (start adj up) or Boot\$5 or Reset\$5 or Reboot\$5 or Post or Restar\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:32
S13	0	S12 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 08:45

EAST Search History

S14	438	(((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) (authentica\$6 with certificat\$5) (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) ((power adj on) or (power adj up) or (start adj up) or Boot\$5 or Reset\$5 or Reboot\$5 or Post or Restar\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:33
S15	101	((((access\$5 near10 certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) with (authentica\$6 near10 certificat\$5)) same (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:04
S16	0	((authentica\$6 certificat\$5).ti. (authentica\$6 certificat\$5).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:46
S17	647	((authentica\$6 certificat\$5).ti. (authentica\$6 certificat\$5).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:04
S18	4	S15 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:46
S19	3	S18 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:50

EAST Search History

S20	11	("5689638" "5999711" "6119230" "6128738" "6182142" "6353886" "6401211" "6484258" "6598167").PN. OR ("6785729").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 17:50
S21	11	S20 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:10
S22	150	((((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) with (authentica\$6 with certificat\$5)) same (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:12
S23	8	(authentica\$6 certificat\$5).ti. ((((access\$5 with certificat\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) with (authentica\$6 with certificat\$5)) same (certificat\$5 with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4) with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:09
S24	4	S23 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:15
S25	119	(access\$5 with certificat\$4 with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4) with (authentica\$6 with certificat\$5) with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:14

EAST Search History

S26	6	((authentica\$6 certificat\$5).ti. (authentica\$6 certificat\$5).ab.) (access\$5 with certificat\$4 with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4) with (authentica\$6 with certificat\$5) with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:16
S27	3	S26 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:16
S28	38	((authentica\$6 certificat\$5).ti. or (authentica\$6 certificat\$5).ab.) (access\$5 with certificat\$4 with (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4) with (authentica\$6 with certificat\$5) with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:28
S29	20	S28 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:29
S30	18	((authentica\$6 certificat\$5).ti. and (authentica\$6 certificat\$5).ab.) (access\$5 same certificat\$4 same (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4) same (authentica\$6 with certificat\$5) same (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:37
S31	12	S30 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:38
S32	6	(US-20030097592-\$).did. or (US-6785729-\$ or US-5999711-\$ or US-6636975-\$ or US-7039802-\$). did. or (US-20010045451-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/01/04 18:29

EAST Search History

S33	9	S31 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:29
S34	128	((authentica\$6 adj3 certificat\$5).ti. and (authentica\$6 adj3 certificat\$5). ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:37
S35	68	((authentica\$6 adj certificat\$5).ti. and (authentica\$6 adj certificat\$5). ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:43
S36	6	((authentica\$6 adj certificat\$5).ti. and (authentica\$6 adj certificat\$5). ab.) (access\$5 certificat\$4 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4) (authentica\$6 with certificat\$5) (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:45
S37	5	S36 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:49
S38	56	(authentica\$6 adj certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:48
S39	1	(authentica\$6 adj certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 18:47
S40	56	(authentica\$6 adj certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:48

EAST Search History

S41	1	((authentica\$6 certificat\$5).ti. (authentica\$6 certificat\$5).ab.) (authentica\$6 adj certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:49
S42	14	((authentica\$6 certificat\$5).ti. or (authentica\$6 certificat\$5).ab.) (authentica\$6 adj certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:58
S43	9	S42 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:59
S44	93	(authentica\$6 adj2 certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:36
S45	38	S44 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:36
S46	16	(US-20030097592-\$ or US-20030076962-\$).did. or (US-6785729-\$ or US-5999711-\$ or US-6636975-\$ or US-7039802-\$ or US-6826690-\$ or US-6754829-\$ or US-7130999-\$ or US-6807577-\$ or US-7050589-\$ or US-6463534-\$ or US-6310966-\$ or US-6223291-\$). did. or (US-20010045451-\$ or EP-1132796-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/01/04 19:35
S47	16	S46 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:03

EAST Search History

S48	6	S47 (authentica\$6 adj2 certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:59
S49	3	("20020029350" "6367013" "6553493").PN. OR ("7050589"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S50	10	("5220603" "5339403" "5497421" "5761309" "5784463" "5825877" "5943423" "6088451" "6233577" "6446109").PN. OR ("6807577").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S51	19	("5005200" "5481720" "5590199" "5706427" "5841970" "5930804" "5944824" "5987232" "6016476" "6035402" "6161185" "6167518" "6189103" "6275941" "6356937").PN. OR ("6636975").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S52	35	("5659616" "5671279" "5712914" "5796841" "5878144" "5884158" "5903878" "5987440").PN. OR ("6463534"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S53	51	("4109237" "4405829" "4641349" "4868877" "5214699" "5224173" "5259025" "5263097" "5386104" "5412727" "5428357" "5457747" "5581630" "5619620" "5623545" "5659616" "5712914" "5841865" "5867578" "5870723" "5872848" "5930804" "5943423" "6012039" "6044462" "6105010" "6148387" "6154879").PN. OR ("6310966"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S54	56	("5138712" "5260999" "5579222" "5671412" "5758069" "5758088").PN. OR ("6223291"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:38
S55	0	S49 S50 S51 S52 S53 S54	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:38
S56	166	S49 S50 S51 S52 S53 S54	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 19:38

EAST Search History

S57	14	S56 (authentica\$6 adj3 certificat\$5) (access\$5 adj3 certificat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:39
S58	0	((authentica\$6 adj2 certificat\$5) near20 (access\$5 adj2 certificat\$4) near20 (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:57
S59	0	((authentica\$6 adj2 certificat\$5) near50 (access\$5 adj2 certificat\$4) near50 (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:57
S60	0	((authentica\$6 adj2 certificat\$5) near100 (access\$5 adj2 certificat\$4) near100 (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:57
S61	68	(authentica\$6 adj2 certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) ((power adj on) or (power adj up) or (start adj up) or Boot\$5 or Reset\$5 or Reboot\$5 or Post or Restar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:43
S62	0	(authentica\$6 adj2 certificat\$5) (access\$5 adj2 certificat\$4) (Configur\$5 adj3 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4)) ((power adj on) or (power adj up) or (start adj up) or Boot\$5 or Reset\$5 or Reboot\$5 or Post or Restar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 20:00
S63	25	S61 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:40
S64	20	("5029206" "5369705" "5654958" "5748736" "6173399").PN. OR ("6751729").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 20:39

EAST Search History

S65	16	S64 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:40
S66	8	(US-6223291-\$ or US-6310966-\$ or US-6463534-\$ or US-6636975-\$ or US-6807577-\$ or US-7050589-\$ or US-6490367-\$ or US-6751729-\$). did.	USPAT	AND	ON	2007/01/04 20:41
S67	6	S66 authentica\$6 certificat\$5 access\$5 Configur\$5 (Node\$3 or Workstat\$4 or Terminal\$3 or Client\$3 or User\$2 or host\$3 or station\$2 or devic\$4) ((power adj on) or (power adj up) or (start adj up) or Boot\$5 or Reset\$5 or Reboot\$5 or Post or Restar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:44
S68	39	(US-20030018892-\$ or US-20010044904-\$ or US-20020099952-\$ or US-20020188763-\$ or US-20030120935-\$ or US-20030135744-\$ or US-20030196085-\$ or US-20040078568-\$).did. or (US-3996449-\$ or US-5737523-\$ or US-5802590-\$ or US-6148083-\$ or US-6185678-\$ or US-6189103-\$ or US-6263431-\$ or US-6412069-\$ or US-7159240-\$ or US-7174457-\$ or US-6957332-\$).did. or (WO-200180482-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 19:58
S69	8	(US-6807577-\$ or US-6636975-\$ or US-7050589-\$ or US-6751729-\$ or US-6490367-\$ or US-6463534-\$ or US-6223291-\$ or US-6310966-\$). did.	USPAT	AND	ON	2007/09/21 19:58
S70	1	10/618873	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 20:25
S71	2	"6463534".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 20:29

EAST Search History

S72	1	10/241665	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 20:34
S73	1543	((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobile) with \$4Certif\$8 with \$4Authenticat\$5 with (Configur\$4 or Arrang\$4 or Setup or Associat\$4 or Connect\$4 or Install\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 21:25